

ITALY 
ROCK

SANDY BEACH

 **NANO**GRESS®
Porcellanato



SANDY BEACH

Origin: Syracuse, Italy

Design philosophy: The idea is from the present feeling when Syracuse sea waves kissing the sandy beach, as well as various marks afterward. Shell marks loom through the sandy beach records the unique beautiful memories.

It is a sand ground
But it can carry heavy emotion
Simple, plain,
pure... In everywhere of heart brings you a
cozy life space



SANDY BEACH-L

Multiple layouts reproduce the lively texture of natural rock to heighten natural effect after installing.



SANDY BEACH-L
FLOOR: 600X600mm
MOSAIC: SANDY BEACH-L-MA9



SANDY BEACH-L
FLOOR: 600X900mm



SANDY BEACH-L
FLOOR: 200X600mm



SANDY BEACH-L
FLOOR: 600X600mm
WALL: 300X600mm



SANDY BEACH-L
FLOOR: 200X200mm
300X300mm
400X400mm
600X900mm



SANDY BEACH-L
FLOOR: 300X600mm

SANDY BEACH-Y

Multiple layouts reproduce the lively texture of natural rock to heighten natural effect after installing.



SANDY BEACH-Y
FLOOR: 600X600mm
WALL: 300X300mm
MOSAIC: SANDY BEACH-Y-MA1



SANDY BEACH-Y
WALL: 300X600mm



SANDY BEACH-Y
FLOOR: 600X600mm
SANDY BEACH-D
FLOOR: 600X600mm



SANDY BEACH-Y
FLOOR: 600X600mm
WALL: 300X600mm



SANDY BEACH-Y
FLOOR: 200X900mm



SANDY BEACH-Y
FLOOR: 600X600mm

SANDY BEACH

Multiple layouts reproduce the lively texture of natural rock to heighten natural effect after installing.



SANDY BEACH
FLOOR: 600X600mm
WALL: 300X600mm
MOSAIC: SANDY BEACH-MA6



SANDY BEACH
FLOOR: 600X900mm
MOSAIC: SANDY BEACH-MA10



SANDY BEACH
FLOOR: 600X600mm



SANDY BEACH
FLOOR: 200X900mm
MOSAIC: SANDY BEACH-MA6



SANDY BEACH
FLOOR: 300X600mm



SANDY BEACH
FLOOR: 200X900mm



SANDY BEACH
FLOOR: 200X600mm
300X300mm

SANDY BEACH-D

Multiple layouts reproduce the lively texture of natural rock to heighten natural effect after installing.



SANDY BEACH-D
FLOOR: 600X600mm
MOSAIC: SANDY BEACH-D-MA18



SANDY BEACH-D
FLOOR: 600X600mm/300X300mm



SANDY BEACH-D
FLOOR: 600X600mm



SANDY BEACH-D
FLOOR: 600X900mm



SANDY BEACH-D
FLOOR: 600X900mm




SANDY BEACH-D
FLOOR: 600X900mm

MOZAIK: PARTNER-MA14



SURFACE



LAPATO (S)



GRANIGLIA (FINE GRAINED) (G)



MATT (M)

CORE TECHNOLOGY



Micro-Engraving Technology - Represent the lively texture of rocks. Originated from Italy design, Italy Rock series has adopted the micro-engraving technology to represent the texture effect on the surface of the tiles, lively as natural rock.



Numerous surface in One Rock - Heighten the natural effect with multiple layouts. Italy Rock series has adopted multi-edition positional output technology to guarantee numerous layouts in every product and used various compound techniques to produce multiple surface effect, heighten the natural effect after installing.




Three-Dimensional Inkjet Technology - Reproduce Nature color. Using the advanced inkjet equipment and glaze technology to extend the color gamut, the natural color of Rock has been reproduced in Nanogress Italy Rock series.



High Definition Effect - Reproduce a real rock. Italy Rock, originated from Italy as its name suggests, realistically reproduces the natural landscape of rock in Italy with its vivid and multiple surface.

■ SIZE (mm)

SANDY BEACH-L



600X900 24'X36'



200X900 8'X36'



600X600 24'X24'



300X600 12'X24'


SANDY BEACH-Y



600X900 24'X36'



200X900 8'X36'



600X600 24'X24'



300X600 12'X24'

SANDY BEACH



600X900 24'X36'



200X900 8'X36'




600X600 24'X24'



300X600 12'X24'


SANDY BEACH-D



600X900 24'X36'



200X900 8'X36'



600X600 24'X24'



300X600 12'X24'

SANDY BEACH



SANDY BEACH-YG
MA1 / 300x300



SANDY BEACH-YG
MA15 / 320x300




SANDY BEACH-G
MA1 / 300x300




SANDY BEACH-G
MA15 / 320x300



Mix colors A
SANDY BEACH-YG
SANDY BEACH-G
MA1 / 300x300




Mix colors B
SANDY BEACH-LG
SANDY BEACH-DG
MA1 / 300x300



SANDY BEACH-LG
MA1 / 300x300



SANDY BEACH-LG
MA15 / 320x300



SANDY BEACH-DG
MA1 / 300x300



SANDY BEACH-DG
MA15 / 320x300

TECHNICAL SPECIFICATION

	DESCRIPTION	STANDARD OF TEST	ISO STANDARD REQUIREMENT	NANOGRESS STANDARD
	SIZES	ISO 10545.2	LENGTH AND WIDTH THICKNESS EDGE CURVATURE CENTER CURVATURE WARPAGE	± 0,2% ± 2% ± 0,2% ± 0,2% ± 0,2%
	WATER ABSORPTION	ISO 10545.3	R _{94,5%}	0,03%
	STRENGTH	ISO 10545.4	MODULUS OF RUPTURE BREAKING STRENGTH	55N/MM ² >1700N
	SURFACE ABRASION	ISO 10545.7	ACCORDING TO MANUFACTURER'S DATA	MIN PEI 3
	COEFFICIENT OF LINEAR THERMAL EXPANSION	ISO 10545.8	TEST METHOD AVAILABLE	6.5X10 ⁻⁶ °C ⁻¹
	RESISTANCE OF THERMAL SHOCK	ISO 10545.9	TEST METHOD AVAILABLE	GUARANTEED
	FROST RESISTANCE	ISO 10545.12	REQUIRED	REQUIRED
	CHEMICAL RESISTANCE	ISO 10545.13	MANUF. TO STATE	MANUF. TO STATE
	STAIN RESISTANCE	ISO 10545.14	CLASS 3 MIN	CLASS 3 MIN

PACKING DETAILS

SIZE (mm)	PCS/BOX	W/BOX	HGS/BOX	BOXES/PALLET	PCS/PALLET	W/PALLET	HGS/PALLET	BOXES/CNT	W/CNT	HGS/CNT
150X90 9X30	10	1.35	32.10	36	360	48.60	1156	828	1117.80	26579
200X90 9X30	9	1.62	38.50	40	360	64.80	1540	700	1134.00	26950
300X90 12X30	4	1.08	27.50	56	224	60.48	1540	952	1028.16	26180
600X90 24X30	3	1.62	38.50	40	120	64.80	1540	700	1134.00	26950
900X90 36X30	2	1.62	42	38	76	61.56	1596	608	984.96	25526
900X450 36X15	4	1.62	43	44	176	71.28	1892	616	997.92	26488
150X90 9X30	11	0.99	22.50	54	594	53.46	1215	1188	1176.12	26730
300X300 12X12	11	0.99	22.50	54	594	53.46	1215	1188	1176.12	26730
300X600 12X30	8	1.44	32.50	40	320	57.60	1300	820	1180.80	26880
600X600 24X30	4	1.44	32.50	40	160	57.60	1300	820	1180.80	26880
600X1200 24X30	2	1.44	41.50	52	104	74.88	2184	635	914.40	26670
900X1800 36X12	2	3.24	62.00	30	60	97.20	1890	420	1360.80	26460

The above info is for reference only

NANOGRESS®
Porcellanato



www.nanogress.com



Il Molto Giorno

@nanogressporcellanato

@nanogress



general@nanogress.com